

PRX-T[®]
33
WiQO

**NEEDLE-FREE
BIOREVITALIZATION**

PRODUCT SHEET



DIRECT LINE

with the scientific team for inquiries and complaints:
scientificdivision@wiqo.eu

WiQo S.p.A.

Via Martinelli, 16 - 34015 - Muggia (Trieste) Italy | Tel: +39 040 360408 | WiQo.com

WiQO[®]
FORMULATORS OF SKIN CONFIDENCE

Informational material intended exclusively for medical professionals. For professional use.
Application only under medical supervision

PRODUCT SHEET

PRX-T₃₃
wiQo

NEEDLE-FREE
BIOREVITALIZATION

**Revitalize your patients' skin,
improving its firmness in just 15 minutes.**

PRX-T₃₃ is a medical device with a patented formula containing 33% trichloroacetic acid (TCA) and hydrogen peroxide. PRX-T₃₃ is a non-injectable gel that induces a skin biostimulation and provides deep hydration and immediate firmness to the skin. It is applied using a specific, painless technique without the use of needles. Results are visible from the first treatment, but to maintain them over time, a series of sessions is recommended.

PRX-T₃₃ is gentle on the epidermal layers, does not cause frost, can be performed year-round, and does not require the patient to interrupt their social life. **WiQo home products help to amplify the results of the in-office treatment.**


INDICATIONS FOR USE

- / Skin elastosis of the face, neck, décolleté, and body
- / Hyperpigmentation and melasma
- / Scar atrophy (scars and stretch marks)

FORMULA

33% trichloroacetic acid (TCA), hydrogen peroxide, kojic acid, stabilizers.

Due to its unique formulation of active ingredients, the product must be stored at a temperature between +2°C and +8°C.


+2°C  +8°C



BENEFITS

- / Topical application without needles
- / Stimulates the skin's regenerative process
- / No frost or peeling after treatment thanks to the patented formulation
- / Painless
- / No recovery time
- / Immediate results
- / Suitable for all skin types and ages
- / For all seasons

PRX-T₃₃ TREATMENT ACCORDING TO PROTOCOL | BEFORE AND AFTER RESULTS



* Long-lasting and stabilized results after a complete treatment cycle. After 45 days, a maintenance treatment is recommended. A full treatment cycle twice a year is suggested to perfect, reinforce, and maintain the achieved results.